

# Fanvil X1 / X1P Entry-Level IP Phone

Reliable. Affordable. Full-Featured



Fanvil X1 / X1P is an entry-level, cost-effective professional desktop IP Telephone. Coupled with basic features including 2-lines, 3-pary conference function, easy-to-read backlight Lattice display, it deftly meets the affordability and reliability requirements of any budget.









PoE





128X48

3-Way Conference

RJ9





# Clear Backlight Screen

The generously large 128 ×48 pixel Lattice screen gives a clear 4-line display, enables quick access to more visual information at a glance. With backlight, the screen is easy-to-read even in weak light conditions.

# 2-Line Operation

You can dial and receive calls through two different SIP lines, which greatly enhance your efficiency and flexibility.



### Support 3-Way Conference

3-Way conference enables you to have a teleconference with two other parties, delivering more powerful and flexible session management.






## **Effortless Configuration**

The IP phone features web-based configuration via computer, bringing additional convenience and increasing productivity.

### PoE (Power over Ethernet) Integrated

10/100 Mbps with PoE (Fanvil X1P) integrated, free of power cables reduces number of wires on your desk and enables you to install the IP phone with ease.



### Compatible with your Platforms

Fanvil IP phones are all compatible with popular platforms such as 3CX, Asterisk, Broadsoft, Elastix, Zycoo etc..





### Features Overview



#### 2-Line Operation

Coupled with 2 SIP lines, it allows you to dial and receive calls on two different phone lines



#### PoE (Power over Ethernet) Available

10/100 Mbps with PoE (Fanvil X1P), you only need to connect with the ethernet cable, reducing the number of wires on your desk.



#### Support 3-Party Conference

Allows you to have a 3-party conversation between you and 2 other parties.



#### Easily store and dial frequently called numbers.

Allows you to view the name, number, date, time of incoming calls at a glance. Featured with call holding / restoring, call transfer, gives you more convenience.



#### Supports Headset

Talk "hands free" with a headset (RJ9 port).



#### Easy Web-based configuration

With web-based configuration, you can configure your Fanvil IP phone with ease.



#### 500 Contacts Directory

Easily store and dial frequently called numbers.



#### Lattice Screen with Backlight

Facilitate access to easy-to-read, 128 ×48 resolution, Black & White backlight screen



#### Compatible with Major Platforms

Compatible with 3CX, Asterisk, Broadsoft, Elastix, Zycoo etc..

# Technical Data

| Mode             | X1/X1P  |
|------------------|---|
| LCD              | dot-matrix screen (include backlight)   |
| Resolution ratio | 128x48  |
| SIP Line         | 2   |
| Audio            | Low-Bandwidth(G.711a/u/G.723.1/G.726/G.729AB)   |
| Phone book       | 500 entries   |
| Call Logs        | 100 entries, In / Out / Missed  |
| Phone Features   | Caller ID, DND, Call holding / restoring<br>Auto Answer, Call transfer, 3 way call conference |
| Color            | Black   |
| Network port     | 10/100 Mbps, Networkx1 / Computer x1  |
| RJ9 port         | Handset x1, Headphone x1  |
| Power            | Input: 100-240V Output: 5V / 0.6A   |

### Fanvil Technology Co., Ltd

www.fanvil.com

Tel: +86-755-2640-2199

Fax:+86-755-2640-2618

Email:sales@fanvil.com

Add: 4F, Block A, Building 1#, GaoXinQi Hi-Tech Park (Phase-II), 67th District, Bao'An, Shenzhen, China 518101